





flexipads®
WORLD CLASS

Don't bin!
Repair, refurbish, recycle

*Flexipads bags are 100% recyclable

DETAILING FOAMS



X-Slim™

Design to sustain the pressure of random orbital dual action machines. We have selected foams with high tensile strength to offer long lasting performances



PRO-Classic

Polyvalent foams with centre hole to better centre onto the backer. Works well with slightly oiler compounds



PRO-Detail

Hex-Cut detailing pads optimise the distribution of polishing compound and ensure heat is distributed evenly across the work surface more evenly, maximising pad life span.



German foams

Manufactured from the highest quality German foam; boasting a closed-cell structure for a firmer, less absorbent pad. Together these properties provide a high quality, hologram-free finish.




USA foams

These open-celled foams are manufactured from high quality American foam. These foams tend to be softer than the closed-cell alternatives. The open-cell structure enables greater airflow through the pad, keeping the pad cool and prolonging lifespan.




DETAILING FOAMS

X-Slim™ spot pads




XS100

32mm heavy cutting pad




XS140

32mm finishing pad



XS160



32mm buffing pad



XSLIM™ spot pads

Super small pads perfect for spot repairs and tackling hard to reach areas:

- Less waste and faster results:
 - Optimise worktime by polishing smaller surfaces
 - Cost efficient, use less abrasive, compound and polish
- For use with Flexipads 32mm X- SLIM spot backer (XB100)
- Thin design enhances user control, particularly on uneven and contoured surface
- 32 and 40mm available




NEW

Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
XS100	32	32	WHITE heavy cutting foam	18	Very firm	XB100	2,500
XS140	32	32	YELLOW finishing foam	18	Medium	XB100	2,500
XS160	32	32	BLACK micro fine buffing pad	18	Soft	XB100	2,500




DETAILING FOAMS

X-Slim™ spot pads




XS200

40mm heavy cutting pad




XS240

40mm finishing pad



XS260

40mm buffing pad



EXTENSION ARM


Additional reach to your rotary polisher (EX000)

BACKER PAD

Support spot foam pads, and great for difficult to reach areas (XB100)


X-SLIM SPOT PAD

Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
XS200	40	40	WHITE heavy cutting foam	18	Very firm	XB100	2,500
XS200	40	40	YELLOW finishing foam	18	Very firm	XB100	2,500
XS200	40	40	BLACK micro fine buffing pad	18	Very firm	XB100	2,500



DETAILING FOAMS

X-Slim™ spot detailing kit



XS010K - SPOT DETAILING KIT

Our X-SLIM Spot polishing kits have been expertly designed to tackle hard-to-reach areas. This kit combines our signature X-SLIM foams in a miniaturized form. Combine the included spot backer with the 80mm extension arm for added reach and flexibility.




XB100 + EX000

30mm Soft XSLIM spot backer
80mm Extension arm - M14




XS200

40mm heavy cutting pad




XS240

40mm finishing pad



XS260

40mm buffing pad



LP115

FINE CUT liquid shine™ - 250ml

- Easily removes P2000 marks
- Designed for ceramic and scratch resistant clearcoats
- To be used on fresh or fully cured paints
- Doesn't mark plastics



40544

OEM nanotex - Blue 320gsm


- 32 x 36cm
- 70/30 Polyester/Polyamide
- 320gsm



Reference	Foam size in mm	Foams references	Backer pad	Microfibre towel	Compound liquids
XS005K	32	XS100 - XS140 - XS160	XB100 + EX000	40544	250ml FINE CUT Liquid Shine™
XS010K	40	XS200 - XS240 - XS260	XB100 + EX000	40544	250ml FINE CUT Liquid Shine™


DETAILING FOAMS

X-Slim™ pads




XS300

90mm heavy cutting pad




XS320

90mm medium cutting pad




XS340

90mm finishing pad





XS360

90mm buffing pad



XS380

90mm ultra glaze pad



- Long lasting
- Greater control and finish
- Suitable for DA or Rotary machines


SOLVENT CLEANING

ECOTEX WIPE

100% biodegradable


DETAILING FOAMS

X-Slim™ pads




XS500

135mm heavy cutting pad




XS520

135mm medium cutting pad




XS540

135mm finishing pad





XS560

135mm buffing pad



XS580

135mm ultra glaze pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
XS500	135	130	WHITE heavy cutting foam	18	Very firm	17060 - AP001	2,500
XS520	135	130	ORANGE medium cutting pad	18	Firm	17060 - AP001	2,500
XS540	135	130	YELLOW finishing foam	18	Medium	17060 - AP001	2,500
XS560	135	130	BLACK micro fine buffing pad	18	Soft	17060 - AP001	2,500
XS580	135	130	IVORY ultra glaze pad	18	Ultra soft	17060 - AP001	2,500




DETAILING FOAMS

X-Slim™ pads




XS600

160mm heavy cutting pad




XS620

160mm medium cutting pad




XS640

160mm finishing pad





XS660

160mm buffing pad



XS680

160mm ultra glaze pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
XS600	160	155	WHITE heavy cutting foam	18	Very firm	17075 - 10400	2,500
XS620	160	155	ORANGE medium cutting pad	18	Firm	17075 - 10400	2,500
XS640	160	155	YELLOW finishing foam	18	Medium	17075 - 10400	2,500
XS660	160	155	BLACK micro fine buffing pad	18	Soft	17075 - 10400	2,500
XS680	160	155	IVORY ultra glaze pad	18	Ultra soft	17075 - 10400	2,500



DETAILING FOAMS

X-Slim™ polishing kit



XS020K - X-SLIM POLISHING KIT



Our X-SLIM polishing kits combine our entire range of low-profile X-SLIM polishing foams, and Liquid Shine compounds and a backing pad to provide you with a comprehensive detailing solution. This introductory kit allows you cover all steps of the de-tailing process from heavy compounding to glazing with ease



Kit contents items:

XS500 + XS520

135mm heavy & medium cutting pads





HEAVY CUTTING



MEDIUM CUTTING

XS540 + XS560

135mm finishing and buffing pads




FINISHING



MICROFINE BUFFING

XS580

135mm ultra glaze pad



ULTRA GLAZE

AP001

125mm Ultrasoft sander pad



40544

OEM nanotex - Blue 320gsm

- 32 x 36cm
- 70/30 Polyester/Polyamide
- 320gsm



LP105 - LP115 - LP125


- HIGH CUT liquid shine™ - 250ml
- FINE CUT liquid shine™ - 250ml
- ZERO SWIRL liquid shine™ - 250ml



Reference	Foam size in mm	Foam references	Backer pad	Microfibre towel	Compound liquid
XS015K	90	XS300 - XS320 - XS340 - XS360 - XS380	36110 - 75mm	40544	LP105 - LP115 - LP125
XS020K	135	XS500 - XS520 - XS540 - XS560 - XS580	AP001 - 125mm	40544	LP105 - LP115 - LP125
XS025K	160	XS600 - XS620 - XS640 - XS660 - XS680	10400 - 150mm	40544	LP105 - LP115 - LP125


DETAILING FOAMS

PRO - Classic




HP320

80/100mm heavy cut/compounding pad




HP330

80/100mm medium heavy cutting pad





HP340

80/100mm heavy polishing pad




HP350

80/100mm medium light polishing pad



PRO-CLASSIC SPECIFICATION

- 7 foam grades
- Classic flat foam face
- Suitable for DA or Rotary machines
- Angle sides
- Alignment hole
- 28mm depth



DISINFECTION

GLUE
REMOVAL

SURFACE
DEGREASING


PREPARATION
FOR BONDING

Acusat™

Presaturated Wipes


DETAILING FOAMS

PRO - Classic




HP360

80/100mm finishing pad




HP370

80/100mm light clean & glaze pad



XP380

80/100mm ultra fine finishing pad



ROTARY SUPPORT PADS



AP003 - 75mm



36110 - 75mm



ORBITAL SUPPORT PADS



17002 - 75mm




17003 - 75mm

Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
HP360	100	80	BLACK finishing pad	28	Soft	17002 - AP003	2,500
HP370	100	80	BLUE light clean & glaze pad	28	Ultrasoft	17002 - AP003	2,500
HP380	100	80	RED ultra fine finishing pad	28	Ultrafine	17002 - AP003	2,500




DETAILING FOAMS

PRO - Classic




HP520

125/150mm heavy cut/compounding pad




HP530

125/150mm medium heavy cutting pad




HP540

125/150mm heavy polishing pad




HP550

125/150mm medium light polishing pad




HP560

125/150mm finishing pad



HP580

125/150mm ultra fine finishing pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
HP520	150	125	YELLOW heavy cut compounding pad	28	Very firm	AP001 - AP0097	2,500
HP530	150	125	ORANGE medium cutting pad	28	Firm	AP001 - AP0097	2,500
HP540	150	125	GREEN heavy polishing pad	28	Hard	AP001 - AP0097	2,500
HP550	150	125	CREAM medium light polishing pad	28	Medium	AP001 - AP0097	2,500
HP560	150	125	BLACK finishing pad	28	Soft	AP001 - AP0097	2,500
HP580	150	125	RED ultra fine finishing pad	28	Ultrafine	AP001 - AP0097	2,500




DETAILING FOAMS

PRO - Detail




HL430

80/100mm medium heavy cutting pad




HL440

80/100mm heavy polishing pad




HL450

80/100mm medium light polishing pad




HL460

80/100mm finishing pad



PRO-CLASSIC SPECIFICATION

- 7 foam grades
- Hexagon cut surface for improved compound distribution
- 35mm depth
- Suitable for DA or Rotary machines
- Alignment hole
- 28mm depth




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
HL430	100	80	ORANGE medium cutting pad	35	Firm	17002 - AP003	2,500
HL440	100	80	GREEN heavy polishing pad	35	Hard	17002 - AP003	2,500
HL450	100	80	CREAM medium light polishing pad	35	Medium	17002 - AP003	2,500
HL460	100	80	BLACK finishing pad	35	Soft	17002 - AP003	2,500




DETAILING FOAMS

PRO - Detail




HL520

115/135mm heavy cut/compounding pad




HL530

115/135mm medium heavy cutting pad




HL540

115/135mm heavy polishing pad





HL550

115/135mm medium light polishing pad



HL560

115/135mm finishing pad




COOL PRINTING

You can print your own logo on all of our foam ranges

*Terms and conditions apply



DETAILING FOAMS

PRO - Detail





HL570

115/135mm light clean & glaze pad




HL580

115/135mm ultra fine finishing pad




RECESSED PADS

The recessed velour, allows the back-plate to sit within the foam to protect it from scratching your work surface. All pads have a GRIP velour.




HL620

150mm heavy cut /compounding pad



HL630

150mm medium heavy cutting pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
HL570	135	115	BLUE light clean & glaze pad	35	Ultrasoft	AP001 - AP097	2,500
HL580	135	115	RED ultra fine finishing pad	35	Ultrafine	AP001 - AP097	2,500
HL620	150	123	YELLOW heavy cut/compounding pad	35	Very firm	10398 - AP097	2,500
HL630	150	123	ORANGE medium cutting pad	35	Firm	10398 - AP097	2,500

REF. 10398 + HL670




DETAILING FOAMS

PRO - Detail




HL640

150mm heavy polishing pad




HL650

150mm medium light polishing pad




HL660

150mm finishing pad




HL670

150mm light clean & glaze pad



HL680

150mm ultra fine finishing pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
HL640	150	123	GREEN heavy polishing pad	35	Hard	10398 - AP097	2,500
HL650	150	123	CREAM medium light polishing pad	35	Medium	10398 - AP097	2,500
HL660	150	123	BLACK finishing pad	35	Soft	10398 - AP097	2,500
HL670	150	123	BLUE light clean & glaze pad	35	Ultrasoft	10398 - AP097	2,500
HL680	150	123	RED ultra fine finishing pad	35	Ultrafine	10398 - AP097	2,500

REF. 10398 + HL670




DETAILING FOAMS

German foams




44695

80mm very firm cutting pad




44700

80mm firm polishing pad




44705

80mm finishing pad



GERMAN FOAMS

For a high gloss finish without haze or holograms. Made with the highest quality closed-cell German foams, with a 25mm height for a firmer less-absorbent pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
44695	80	70	WHITE very firm cutting pad	25	Very firm	AP003 - AP095	2,500
44700	80	70	ORANGE firm polishing pad	25	Firm	AP003 - AP095	2,500
44705	80	70	YELLOW finishing pad	25	Soft	AP003 - AP095	2,500




DETAILING FOAMS

German foams




44710

135mm very firm cutting pad




44715

135mm firm polishing pad




44720

135mm finishing pad




44725

150mm very firm cutting pad




44730

150mm polishing pad




44735

150mm finishing pad




DETAILING FOAMS

USA foams




44750

100mm S/Buf cutting spot pad




44755

100mm S/Buf polishing spot pad




44760

100mm S/Buf finishing spot pad



USA FOAMS

- Produces an outstanding, high gloss, swirl-free finish
- Open celled firm foam designed for cutting and removing medium defects whilst still bringing a good gloss.




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
44750	100	75	S/Buf cutting spot pad	30	Firm	36300 -10390	2,500
44755	100	75	S/Buf polishing spot pad	30	Soft	36300 -10390	2,500
44760	100	75	S/Buf finishing spot pad	30	Ultra soft	36300 -10390	2,500




DETAILING FOAMS

USA foams




44765

165mm S/Buf cutting spot pad




44770

165mm S/Buf polishing spot pad




44775

165mm S/Buf finishing spot pad




44780

180mm S/Buf cutting spot pad




44785

180mm S/Buf polishing spot pad



44790

180mm S/Buf finishing spot pad




Reference	Size in mm	Velour size in mm	Description	Depth in mm	Density	Matching support pad	Max RPM
44765	165	130	Original S/Buf cutting pad	30	Very firm	MG600	2,500
44770	165	130	Original S/Buf polishing pad	30	Firm	MG600	2,500
44775	165	130	Original S/Buf finishing pad	30	Soft	MG600	2,500
44780	180	145	Recessed S/Buf cutting pad	30	Very firm	MG600	2,500
44785	180	145	Recessed S/Buf polishing pad	30	Firm	MG600	2,500
44790	180	145	Recessed S/Buf finishing pad	30	Soft	MG600	2,500




DETAILING FOAMS

Foam support pad for DA machines




AP095

70mm - Soft - No hole




AP094

75mm - Soft - No hole




36299

75mm - Medium
No Hole - M6 Female + 6mm spindle




17002

75mm - Medium
3 Hole - 5/16




17003

75mm - Medium
6 Hole - 5/16




17001

90mm - Medium
No Hole - 5/16




AP096

125mm - Soft - No hole




AP097

125mm - Soft - No hole




DETAILING FOAMS

Foam support pad for Rotary machines




AP003

75mm Ultrasoft support pad




10390

75mm Ultrasoft support pad




AP004

90mm Ultrasoft support pad




10398

125mm Ultrasoft support pad




AP001

125mm Ultrasoft support pad




AP002

125mm Ultrasoft support pad



10400

150mm Ultrasoft support pad



10402

180mm Ultrasoft support pad

