





flexipads®
WORLD CLASS

Preparation, restoration
and finition.

PREMIUM WOOL



Cool pads®

One-step compounding and finishing pad which combines the benefits of wool and microfibre in one. This pad is available with both unsealed and ultrasonic sealed edges.



Merino lambswool

The Merino Wool range introduces our new SealMelt™ technology whereby the velour under-goes a three-step adhesion process involving laser bonding, double-stitching and hot-melt to produce our most robust wool pad yet. This is combined with our premium quality combed lambs wool for an expert quality finish.



Detailing wools

The finest, double-combed Merino Lambs Wool GRIP pad sourced directly from New Zealand providing an excellent, swirl-free finish



GRIP and Tie cord wools

These professional wool pads offer a 20mm pile length combined with a unique double-skin or tie cord- which is ideal for a wide range of applications.



Super buffing pads

Large, twisted, 100% wool buffing pads ideal for the marine industry.




Wool support pads

Options available for both GRIP and Tie Cord connectivity.



PREMIUM WOOL

Cool pads®



40201 (DLW3D)

80mm Cool pad - sealed edges



40202 (DLW3D)

130mm Cool pad - sealed edges



40204 (DLW3D)

150mm Cool pad - open edges



MICROFIBRE AND WOOL PATTERN

This is a one-step compounding, polishing and finishing pad- which combines the benefits of wool and microfibre into one.

Cool pads significantly reduce the risk of fibre contamination, an issue often seen with natural wool pads. This pad boasts a unique, patented, 3D air-cushioning system- which significantly reduces pad vibration, leading to greater user control. This pad is great for the OEM on a wide range of different paint types, ranging from standard to hard/ scratch resistant.



SEALED EDGES




OPEN EDGES

Reference	Pad size in mm	Velour size in mm	Depth in mm	Description	Matching backer pad	Max RPM
40201 (DLW3D)	80	80	12	Cool pad with sealed edges	36110	2,500
40202 (DLW3D)	130	130	12	Cool pad with sealed edges	10398	2,500
40204 (DLW3D)	150	150	12	Cool pad with open edges	10400	2,500



PREMIUM WOOL

Cool paint detailing kit



HB110K - COOL PAINT DETAILING KIT

This multi-purpose Cool polishing kit is great for one or multi-step applications. The Cool pad combines the benefits of foam and wool together, resulting in efficient cutting times and a highly polished finish. Available in 3 different sizes



Kit contents items:

40204

150mm Cool pad - open edges



10400

150mm Ultrasoft sander pad



40544

OEM nanotex - Blue 320gsm

- 32 x 36cm
- 70/30 Polyester/Polyamide
- 320gsm



LP105 - LP115 - LP125

- HIGH CUT liquid shine™ - 250ml
- FINE CUT liquid shine™ - 250ml
- ZERO SWIRL liquid shine™ - 250ml




Reference	Cool pad	Backer pad	Compound liquid	Microfibre towel
HB100K	80mm - 40201 (Set of 2)	75mm - 36110	LP105 - LP115 - LP125	40544
HB105K	130mm - 40202 (Set of 2)	125mm - 10398	LP105 - LP115 - LP125	40544
HB110K	150mm - 40204 (Set of 2)	150mm - 10400	LP105 - LP115 - LP125	40544




PREMIUM WOOL

Merino lambs wool




40240

50mm merino lambs wool pad




40242

80mm merino lambs wool pad




40243

100mm merino lambs wool pad



40244

130mm merino lambs wool pad




SEALMELT™ TECHNOLOGY

We have introduced SealMelt™ technology on this range; the velour is laser-bonded and double stitched around its circumference to help reinforce our traditional hot-melt adhesive. This further reduces the risk of unstitching and associated delamination for a more robust, longer-lasting wool pad.




Reference	Pad size in mm	Thickness in mm	Description	Matching backer pad	Max RPM
40240	50	20	Lambs wool pad (double stitch velour)	36298 (M14)	2,500
40242	80	20	Lambs wool pad (double stitch velour)	36110 (M14)	2,500
40243	100	20	Lambs wool pad (Sealmelt™ technology)	AP004 (M14)	2,500
40244	130	25	Lambs wool pad (Sealmelt™ technology)	AP001 (M14)	2,500




PREMIUM WOOL

Merino lambs wool




40246

150mm merino lambs wool pad




40247

180mm merino lambs wool pad



40248

200mm merino lambs wool pad



Reference	Pad size in mm	Thickness in mm	Description	Matching backer pad	Max RPM
40246	150	32	Lambs wool pad (Sealmelt™ technology)	10400 (M14)	2,500
40247	180	32	Lambs wool pad (Sealmelt™ technology)	10402 (M14)	2,500
40248	200	32	Lambs wool pad (double stitch velour)	36185 (M14)	2,500


Gekatex
Technical Wiping Solutions



DNM2K - DEGREASING WIPE

PREMIUM WOOL

Detailing wool - Superfine merino pads



SF300

80mm superfine wool pad




SF400

100mm superfine wool pad



SF550

135mm superfine wool pad



SF650

160mm superfine wool pad



SUPER FINE WOOL

Finest quality, double-combed, New Zealand Merino Sheepskin GRIP pad for a fine to medium cut.

- Superfine wool strands
- Premium quality, double-stitched velour
- 25mm pile length




Reference	Pad size in mm	Velour size in mm	Depth in mm	Description	Matching backer pad	Max RPM
SF300	80	80	25	Superfine merino grip wool pad	10390 - Rotary	2,500
SF400	100	100	25	Superfine merino grip wool pad	10390 - Rotary	2,500
SF550	135	135	25	Superfine merino grip wool pad	AP001 - Rotary	2,500
SF650	160	160	25	Superfine merino grip wool pad	10400 - Rotary	2,500



PREMIUM WOOL


Detailing wool- PRO-Wool spot pads



BEST SELLERS


PW100

30mm PRO wool spot pad




PW200

55mm PRO wool spot pad




PW300

80mm PRO wool spot pad + align. hole



PW305

80mm PRO wool spot pad



PRO WOOL

Short pile length for an efficient cut combined with a soft foam layer for improved pad control on flat and contoured surfaces.

- 8 to 10mm wool pile
- High quality finish
- Great control on uneven surfaces




WOOL LAYER + FOAM LAYER

Reference	Pad size in mm	Foam layer in mm	Wool layer in mm	Description	Matching backer pad	Max RPM
PW100	30	8	8	PRO detailing wool spot pad (set of 5)	XB100	2,500
PW200	55	8	8	PRO detailing wool spot pad (set of 5)	XB200	2,500
PW300	80	10	10	PRO detailing wool spot pad	36110	2,500
PW305	80	-	5	PRO detailing wool spot pad - no foam	36110	2,500




PREMIUM WOOL

Detailing wool - PRO-Wool pads




PW400

100mm PRO wool pad + alignment hole




PW550

135mm PRO wool pad + alignment hole



PW650


160mm PRO wool pad + alignment hole



PRO WOOL

Short pile wool pads with soft 10mm foam layer for additional control.

- 10mm foam layer
- 10mm wool pile
- 10mm alignment hole




Reference	Pad size in mm	Foam layer in mm	Wool layer in mm	Description	Matching backer pad	Max RPM
PW400	100	10	10	PRO detailing wool pad	AP004	2,500
PW550	135	10	10	PRO detailing wool pad	10398	2,500
PW650	160	10	10	PRO detailing wool pad	10400	2,500




PREMIUM WOOL

GRIP wool pads




40220

135mm wool GRIP pad




40225

150mm wool GRIP pad



40230

200mm wool GRIP pad




GRIP WOOL

These Ultimate Merino Sheepskin pads offer a 20mm pile length combined with a unique, highly durable double-skin backing.

- 20mm pile length
- Durable design
- Excellent Cut




Reference	Pad size in mm	Thickness in mm	Description	Matching backer pad	Max RPM
40220	135	20	GRIP bonnet - 20mm pile	AP001 (M14)	2,500
40225	150	20	GRIP bonnet - 20mm wool pile	10400 (M14)	2,500
40230	200	20	GRIP bonnet - 20mm wool pile	10400 (M14)	2,500




PREMIUM WOOL

Tie cord wool pads




40105

125mm wool tie cord pad



40110

150mm wool tie cord pad




40115

180mm wool tie cord pad




40120

200mm wool tie cord pad



40125

225mm wool tie cord pad



TIE CORD WOOL PAD


Secure tie-cord fastening which is cross-compatible with our standard range of GRIP support pads

Reference	Pad size in mm	Thickness in mm	Description	Matching backer pad	Max RPM
40105	125	22	Tie cord wool - 20mm pile	10398 (M14)	2,500
40110	150	22	Tie cord wool - 20mm pile	10400 (M14)	2,500
40115	180	22	Tie cord wool - 20mm pile	10402 (M14)	2,500
40120	200	22	Tie cord wool - 20mm pile	40310 (M14)	2,500
40125	225	22	Tie cord wool - 20mm pile	40310 (M14)	2,500



PREMIUM WOOL

Merino lambs wool polishing kit



WP100K - MERINO LAMBS WOOL POLISHING KIT

This SealMelt Merino Wool kit combines all the elements you need for an efficient cut combined with a professional quality, highly polished finish. This kit is available in three of our most popular diameters: 125mm, 150mm and 180mm.



Kit contents items:

40244

130mm merino lambs wool pad



AP001

125mm ultrasoft sander pad



LP115

FINE CUT liquid shine™ - 250ml

- Easily removes P2000 marks
- Designed for ceramic and scratch resistant clearcoat
- To be used on fresh or fully cured paints
- Doesn't mark plastics



40544

OEM nanotex - Blue 320gsm

- 32 x 36cm
- 70/30 Polyester/Polyamide
- 320gsm




Reference	Wool pad	Backer pad	Compound liquid	Microfibre towel
WP100K	130mm - 40244 (Set of 2)	125mm - AP001	250ml FINE CUT Liquid Shine™	40544
WP105K	150mm - 40246 (Set of 2)	150mm - 10400	250ml FINE CUT Liquid Shine™	40544
WP110K	180mm - 40247 (Set of 2)	180mm - 10402	250ml FINE CUT Liquid Shine™	40544




PREMIUM WOOL

Ultimate merino sheepskin tie cord




40005

125mm sheepskin tie cord pad




40010

150mm sheepskin tie cord pad




40015

180mm sheepskin tie cord pad



40020

200mm sheepskin tie cord pad



40025


225mm sheepskin tie cord pad



TIE CORD SHEEPSKIN PAD


Merino Sheepskin pad with tie-cord for attachment to PSA or GRIP backing pads

Reference	Pad size in mm	Thickness in mm	Description	Matching backer pad	Max RPM
40005	125	32	Tie cord sheepskin pad	AP001 (M14)	2,500
40010	150	32	Tie cord sheepskin pad	10400 (M14)	2,500
40015	180	32	Tie cord sheepskin pad	40235 (M14)	2,500
40020	200	32	Tie cord sheepskin pad	40310 (M14)	2,500
40025	225	32	Tie cord sheepskin pad	40310 (M14)	2,500



PREMIUM WOOL

Super buffing pads




40425

150mm single sided cupped
100% merino support pad



36305

125mm soft support pad




40431

200mm single sided cupped
natural wool support pad




10290

160mm support pad



40411

220mm double sided
natural wool support pad




40401

Adaptor 5/8 to M14 for 40401




Reference	Pad size in mm	Description	Matching backer pad	Max RPM
40425	150	Cupped twisted 100% merino wool cutting pad	36305	2,500
36305	125	12mm foam layer soft support pad (M14)	-	2,500
40431	200	Cupped twisted wool cutting pad	10290	2,500
10290	160	No foam layer support pad (M14)	-	2,250
40411	220	Double sided natural wool medium cut pad	40401	2,500
40401	-	Adaptor 5/8 to M14 for 40401	-	2,500



PREMIUM WOOL

Marine - Gel coat polishing kit



WP600K - MARINE - GEL COAT POLISHING KIT

This kit is specifically optimised for the polishing and cleaning of marine gel coats. This kit incorporates our Twisted Wool Pad, which has an efficient and aggressive cutting action. This is complemented by our silicone-free Liquid Shine polishes and highly resistant foam pads, for the complete removal of swirl marks, holograms and other imperfections.




KIT

Kit contents items:


AP015

150 x 30mm light cutting pad



AP005

150 x 30mm cutting pad



LP105

HIGH CUT liquid shine™ - 250ml



LP115

FINE CUT liquid shine™ - 250ml



36155

150mm PUR sander polisher pad



10290

160mm support pad



40431

200mm single sided cupped natural wool support pad



40544

2 x OEM nanotex - Blue 320gsm


- 32 x 36cm
- 70/30 Polyester/Polyamide
- 320gsm



SET OF
2


PREMIUM WOOL

GRIP and tie cord support pads




36298

50mm soft sander pad




36300

75mm soft sander pad




AP094

75mm soft DA sander pad




AP097

125mm DA soft sander pad




10400

150mm ultrasoft sander pad



10402

180mm ultrasoft sander pad



Solutions for
robotic

